IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

t Application Of: Kovacic et al. No: 115-01 US DIV(2)

No: 09/988,938 Group Art: 2823

February 1, 2002 Examiner: Pham, Thanh V

SI-GE Base Heteroises

In Re Patent Application Of:

Application No.:

Filing Date:

Title:

SI-GE Base Heterojunction Bipolar Device

August 6, 2003

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Amendment

Sir:

This is an Amendment filed concurrently with a Request for Continued Examination (RCE) under 37 CFR 1.114. Would the Office kindly amend the application as follows:

Amendments to the Specification begin on page 2 of this paper.

Amendments to the Claims are reflected in the listing of claims, which begins on page 4 of this paper.

Remarks/Arguments begin on page 8 of this paper.

Attachment A in support of the Applicant's arguments is submitted herewith beginning on page 12.

FAX RECEIVED

AUG - 6 2003

TECHNOLOGY CENTER 2800

Suite 350, 117 Centrepointe Drive Nepean, Ontario Canada K2G 5X3 Tel (613) 274-7272 · Fax (613) 274-7414

Web: www.ipatent4u.com Email: info@ipatent4u.com



Registered Patent and Trademark Agents Limited.

Fax

JRGENT

For Formal Communications Intended for Entry

DATE:

August 06, 2003

NO. OF PAGES INCL THIS PAGE: 22

TO:

United States Patent Office

FAX NO.:

(703) 308-7382

ATTN:

Examiner Thanh Pham

GROUP ART UNIT: 2823

FROM:

Gordon Freedman

FAX NO.:

(613) 274-7414

RE:

Request for Continued Examination of

U.S. Patent Application No. 09/988,938

Filed:

February 01, 2002

inventor:

Stephen J. Kovacic

Our File:

115-01 US DIV(2)

FAX RECEIVED

AUG - 6 2003

TECHNOLOGY CENTER 2800

This facsimile transmission is intended only for the individual or entity to which it is addressed. The contents hereof are privileged and confidential and exempt from disclosure under applicable law. If you are not the intended recipient, you are hereby notified that any copying, dissemination or distribution of this communication is strictly prohibited. If you have received this transmission in error or if there are any problems the transmission, kindly notify Freedman & Associates by telephone at (613) 274-7272 immediately.